



## **COUNTY OF MARION, SOUTH CAROLINA**

Marion County Asphalt Project  
Bid No. 2017 06 (RE-ADVERTISED)

Marion County Administration  
P.O. Box 744  
Marion, South Carolina 29571

Bid Specification (AMENDED)

October 1, 2018

# MARION COUNTY, SOUTH CAROLINA

---

## (Re-Advertised) Marion County Asphalt Project

DUE DATE/TIME: October 15, 2018 @ 10:00AM (EST)

BID NUMBER: BID NO. 2017 06

POINT OF RECEIPT: Personnel & Purchasing Department  
Attn: Katherine Bell  
Personnel Director  
Marion County Administration Offices  
2523 E Hwy 76  
Marion, SC 29571

Details for Bid No. 2017 - 06 can be found on our website [www.marionsc.org](http://www.marionsc.org) under "Online Bids".

**Bids will be received in the office of the Personnel Director, 2523 E. Hwy 76, Marion, S.C. 29571 until 10:00 A.M. Monday, October 15, 2018.** All inquiries to this bid must be addressed to Dall Black, Public Works Director via email [dblack@marionsc.org](mailto:dblack@marionsc.org). **Contact with other departments or County representatives without permission of the Personnel Director may render your proposal void.**

**Bids will be opened on Monday, October 15, 2018 @ 10:00 A.M.** and their contents will be made public for the information of bidders and others properly interested. Any bid received later than the specified time will not be accepted/considered.

**Bids must be submitted in a sealed envelope and clearly marked on the outside with the name of the project.**

## **BID SPECIFICATIONS**

**The following amendments have been made to better reflect the specifications needed for this bid.**

**For Gurley Road "Only" please add the cost for Thermaplast lines as follows:**

- **Two yellow lines in center road**
- **One white line on each side of road**

**Please see attachments for amended specifications.**

County: MARION

Road Name: GURLEY

File No.: CTC  
Total Miles: 0.40

From Route: US 501  
BMP: 0.00  
Original Width: 20  
Intersections: 2

ADT:   
Estimate:   
Widen Right: 0  
Commercial Driveways: 5

To Route: S-34-331  
EMP: 0.40  
Widen Left: 0  
Residential Driveways: 5

	Surface	Intersections	Driveways	Strengthening	Leveling	Widening
RATE:	---	---	---	---	---	---
TYPE:	4011004	4011004	4011004	4011004	4011004	4011004
QTY:	0.00	0.00	0.00	0.00	6.30	0.00
RATE:	0	0	0	0	---	450
TYPE:	40303XX	40303XX	40303XX	40203XX	40303XX	3104000
QTY:	0.00	0.00	0.00	0.00	100.00	0.00

Pay Item	Item Description	Quantity	Unit
1031000	Mobilization	1.000	LS
1071000	Traffic Control	1.000	LS
1080300	CPM Progress Schedule	1.000	LS
2021005	Remove & Dispose of Existing Catch Basin	0.000	EA
2023000	Remove & Dispose of Existing Pavement	0.000	SY
2024100	Remove & Dispose of Existing Curb	0.000	LF
2027000	Remove & Dispose of Existing Concrete	0.000	CY
2033000	Borrow Excavation	80.000	CY
2035100	Excavation for Shoulder Paving	0.000	STA
2072000	Hauling of Excavated Shoulder Material	0.000	STA
3063428	Cement Modified Recycled Base (8" Uniform) - Method 2	0.000	SY
3064000	Portland Cement for Cement Modified Recycled Base	0.000	TON
3069900	Maintenance Stone	0.000	TON
3104000	HMA Shoulder Widening Course	0.000	TON
4011004	Liquid Asphalt Binder PG64-22	6.300	TON
40120XX	Full Depth Asphalt Pavement Patching	0.000	SY
4013990	Milling Asphalt Pavement - Variable	0.000	SY
4019000	Milled-In Rumble Strip	0.000	MI
40203XX	HMA Intermediate Course	0.000	TON
40303XX	HMA Surface Course	100.000	TON
4036310	Alternate Thin HMA or Mill and Patch	4,893.333	SY
4060010	Asphalt Surface Treatment - Single	0.000	SY
6051120	Permanent Construction Signs	200.000	SF
6750275	1.0" Schedule 80 PVC Conduit	0.000	LF
6770413	No. 14 Copper Wire, 1-Conductor	0.000	LF
6780495	Sawcut for Loop Detector	0.000	LF
7198291	CB Type 17 (Convert CB Type 5)	0.000	EA
7198293	CB Type 18 (Convert CB Type 7)	0.000	EA
7203XXX	Concrete Curb and Gutter	0.000	LF
7204100	Concrete Sidewalk (4" Uniform)	0.000	SY
7205000	Concrete Driveway (6" Uniform)	0.000	SY
7209000	Pedestrian Ramp Construction	0.000	SY
7209100	Surface Applied Detectable Warning	0.000	SF
8100101	Permanent Grassing	0.252	AC

Roadway Cost Estimate Data

Road Information

- |                                             |             |
|---------------------------------------------|-------------|
| 1. What county is the road located in?..... | MARION      |
| 2. What is the road number?.....            | COUNTY ROAD |
| 3. What is the road name?.....              | GURLEY      |
| 4. What is the beginning milepoint?.....    | 0.00        |
| 5. What is the beginning termini?.....      | US 501      |
| 6. What is the ending milepoint?.....       | 0.40        |
| 7. What is the ending termini?.....         | S-34-331    |
| 8. What is the File No.?.....               | CTC         |

Road Characteristics

- |                                                       |    |
|-------------------------------------------------------|----|
| 8. What is the existing road width?.....              | 20 |
| 9. Feet of pavement widening on the left.....         | 0  |
| 10. Feet of pavement widening on the right.....       | 0  |
| 11. How many intersections are along the road?.....   | 2  |
| 12. How many commercial driveways exist?.....         | 5  |
| 13. How many residential driveways exist?.....        | 5  |
| 14. How many standard turn lanes are there?.....      | 0  |
| 15. How many off-set turn lanes are there?.....       | 0  |
| 16. How many travel lanes are there?.....             | 2  |
| 17. Is the road divided by a grass median?.....       | No |
| 18. If so, how many median crossovers are there?..... | 0  |

Road Repair Items

- |                                                                            |          |
|----------------------------------------------------------------------------|----------|
| 19. Will this project be chip seal, thin HMA, or resurfacing?.....         | Thin HMA |
| 20. Will the roadway be reclaimed?.....                                    | No       |
| 21. How many square yards of full depth patching is required?.....         | 0        |
| 22. How many tons of leveling is required?.....                            | 100      |
| 23. Will the entire roadway be milled?.....                                | No       |
| 24. If the entire roadway is not milled, specify the milling quantity..... | 0        |
| 25. How many signal loops will be affected by the milling?.....            | 0        |
| 26. Is a strengthening course needed?.....                                 | No       |
| 27. What is the strengthening course rate?.....                            | 0        |
| 28. Is a surface course needed?.....                                       | Yes      |
| 29. What is the surface course rate?.....                                  | 0        |
| 30. How many CB Type 5 conversions?.....                                   | 0        |
| 31. How many CB Type 7 conversions?.....                                   | 0        |
| 32. How many linear feet of curb and gutter to be replaced?.....           | 0        |
| 33. How many square yards of sidewalk repair required?.....                | 0        |
| 34. How many pedestrian ramps are needed?.....                             | 0        |
| 35. How many square yards of concrete driveway repair is needed?.....      | 0        |
| 36. How many linear feet of 24" stop bar needed at intersections?.....     | 0        |
| 37. How many linear feet of 8" crosswalk needed at intersections?.....     | 0        |
| 38. How many single arrows needed?.....                                    | 0        |
| 39. How many "onlys" needed?.....                                          | 0        |
| 40. How many combination arrows needed?.....                               | 0        |
| 41. How many railroad crossing symbols needed?.....                        | 0        |
| 42. How many linear feet of 4" yellow broken needed on 2-lane road?        | 0        |
| 43. How many linear feet of 4" yellow solid needed on 2-lane road?         | 5000     |

Marion County Ridge Wood Dr.  
Roadway Cost Estimate

Road: S-34-848  
County: Marion

Road Name: RIDGEWOOD ROAD Dr.  
ADT:

File No.: CTC  
Total Miles: 0.31

From Route: S-34-902  
BMP: 0.00  
Original Width: 20  
Intersections: 4

Estimate:  
Widen Right: 3  
Commercial Driveways: 0

To Route: S-34-660  
EMP: 0.31  
Widen Left: 3  
Residential Driveways: 20

	<u>Surface</u>	<u>Intersections</u>	<u>Driveways</u>	<u>Strengthening</u>	<u>Leveling</u>	<u>Widening</u>
RATE:	---	---	---	---	---	---
TYPE:	4011004	4011004	4011004	4011004	4011004	4011004
QTY:	21.28	1.80	4.50	0.00	9.45	12.28
RATE:	150	150	150	0	---	450
TYPE:	40303XX	40303XX	40303XX	40203XX	40303XX	3104000
QTY:	354.64	30.00	75.00	0.00	150.00	245.52

<u>Pay Item</u>	<u>Item Description</u>	<u>Quantity</u>	<u>Unit</u>
1031000	Mobilization	1.000	LS
1071000	Traffic Control	1.000	LS
1080300	CPM Progress Schedule	1.000	LS
2021005	Remove & Dispose of Existing Catch Ba	0.000	EA
2023000	Remove & Dispose of Existing Pavement	0.000	SY
2024100	Remove & Dispose of Existing Curb	0.000	LF
2027000	Remove & Dispose of Existing Concrete	0.000	CY
2033000	Borrow Excavation	62.000	CY
2035100	Excavation for Shoulder Paving	32.736	STA
2072000	Hauling of Excavated Shoulder Material	32.736	STA
3063428	Cement Modified Recycled Base (8" Ur	0.000	SY
3064000	Portland Cement for Cement Modified	0.000	TON
3069900	Maintenance Stone	10.000	TON
3104000	HMA Shoulder Widening Course	245.520	TON
4011004	Liquid Asphalt Binder PG64-22	49.304	TON
40120XX	Full Depth Asphalt Pavement Patching	1,000.000	SY
4013990	Milling Asphalt Pavement - Variable	100.000	SY
4019000	Milled-in Rumble Strip	0.620	MI
40203XX	HMA Intermediate Course	0.000	TON
40303XX	HMA Surface Course	609.640	TON
4036310	Alternate Thin HMA or Microsurface T	0.000	SY
4060010	Asphalt Surface Treatment - Single	0.000	SY
6051120	Permanent Construction Signs	248.000	SF

---

6750275	1.0" Schedule 80 PVC Conduit	0.000	LF
6770413	No. 14 Copper Wire, 1-Conductor	0.000	LF
6780495	Sawcut for Loop Detector	0.000	LF
7198291	CB Type 17 (Convert CB Type 5)	0.000	EA
7198293	CB Type 18 (Convert CB Type 7)	0.000	EA
7203XXX	Concrete Curb and Gutter	0.000	LF
7204100	Concrete Sidewalk (4" Uniform)	0.000	SY
7205000	Concrete Driveway (6" Uniform)	0.000	SY
7209000	Pedestrian Ramp Construction	0.000	SY
7209100	Surface Applied Detectable Warning	0.000	SF
8100101	Permanent Grassing	0.195	AC

---

## INSTRUCTIONS TO BIDDERS

1. This folder includes the following:
  - (a) Cover Sheet
  - (b) Instructions to Bidder
  - (c) Specifications
  - (d) Bid Forms
  
2. Each bid proposal must be submitted in a sealed envelope, so marked as to indicate its contents without being opened. Bid proposals will be examined immediately after opening and bids tabulated with said tabulation being made available to all participating. It is not the practice to award any bid until the Personnel Director and the Administrator along with any other county personnel have had ample time to review each bid proposal. The award however will be made after this has been presented to County Council in regular session at the earliest possible date. No bid proposal may be withdrawn for thirty (30) days. Mail delayed beyond the date and hour set for bid opening will not be considered/accepted.
  
3. The bid shall be awarded to the most responsible and responsive bidder meeting County's specifications, taking into consideration the following: superior quality, price, time of delivery, adequate service, guarantees and past performance of bidder on previous orders.

**RESPONSIBLE BIDDER** means a person/firm who has the capability to perform fully the contract requirements and the integrity and reliability to perform fully the contract requirement which will assure good faith performance. All items 1 through 10 inclusively must be completed by one bidder - bidder may subcontract if necessary.

**RESPONSIVE BIDDER** means a person/firm who has submitted a bid which conforms in all material respects to Invitation-To-Bid.

4. **Brand Names** The specifications contained herein may in some cases, refer to brand names. Brand names and numbers, if used, are used only to set forth and convey to prospective bidders, the general style, type, character or quality of the item/equipment or services desired.
  
5. **Deviation** Any deviation from the specifications must be noted in detail on the returned bid proposal form by **attaching** a sheet listing them. Absence of this specification deviation sheet will hold the bidder strictly accountable to the specifications as written here in. **Failure** to submit this document of specification deviation shall be grounds for rejection of these items.



6. **Changes** Any changes in specifications after the contract has been awarded, must be with the written consent of the Personnel Director or County Administrator; otherwise the responsibility for such changes lies with the vendor.
7. **Information** Questions concerning bid requirements should be directed to the Personnel Director by calling (843) 423-8201. All changes in specifications shall be in writing and furnished to all bidders. All verbal information obtained otherwise, will not be considered in the awarding of the bid.
8. **Inspection/Acceptance** Shall be conducted by the County Administrator and the Public Works Director.
9. **The County of Marion reserves the right to accept or reject in whole or in part, such bids as appears in its judgment, to be in the best interest of the County.**
10. **Payment Terms** Payment will be made on normal procedures as soon after successful bidder has fully complied with contract as possible
11. Bid price should include shipping, handling and all applicable sales tax.
12. **Submit with sealed bid certificate of liability insurance, workers' compensation insurance, W-9 and business license.**
13. **Awarded bidder must apply for Marion County business license before performing any service(s).**

# BID PROPOSAL FORM

FOR

## INVITATION-TO-BID NO. 2017 06

Ladies and Gentlemen:

The undersigned, as bidder, hereby declares that this bid is made without connection with any other persons, companies or parties making a similar bid. It is in all respects in good faith without collusion or fraud. The bidder has carefully examined the preceding documents and hereby states that he/she will furnish the materials listed on the previous pages.

Price: \_\_\_\_\_

Date: \_\_\_\_\_

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Bidders Address

\_\_\_\_\_  
Bidders Telephone No.

\_\_\_\_\_  
Signature